

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	(Bavaria adj2 Priti). in. or (Broyles adj2 Stephan).in. or (Pinkenberger adj2 Glenn).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/04 21:44
L2	2972685	(config\$7 or customiz \$4 or initializ\$4 or reconfigur\$7 register \$3 or registra\$4 or setup or (set adj up) or (sett\$3 adj up) or reset\$4)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L3	4596334	(device or node or element or computer)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L4	407511	(stor\$4 or obtain\$3 or retriev\$3) near10 table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L5	22557	L2 same L3 same L4	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L6	59	L5 same ((compar\$4 or match\$3) adj (Identification or ID or Unique or number))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L7	2	L6 and 709/201,220- 223.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L8	14110	709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L9	59	L8 and (stor\$4 adj2 (Unique adj identif \$4))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L10	17	L9 and (discover\$3 or resdiscover\$3)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L11	16	L10 and (configur\$7 or reconfigur\$7)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L12	14	L11 and table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L13	11	L11 and table	USPAT	OR	ON	2008/07/04 21:44

L14	22662	710/8-10,52-53,72. ccls. or 711/100,104. ccls. or 719/321.ccls. or 709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L15	7288	(Bootstrap or boot or "Initial program load" or ILP) same device same (reconfigur\$7 or configur\$7 or pr \$1discovery or rediscovery)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L16	1	L15 same (stor\$4 near10 (unique adj device adj identifier))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L17	52	L15 same (device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L18	0	L17 same (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L19	4	L17 same table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L20	0	L16 and L14	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L21	887	(discovery or rediscovery) same (device or peripheral) same identifier	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L22	128	L21 and L14	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L23	40	L22 and (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L24	33	L23 and (match or compar\$4)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L25	12	(Bootstrap or boot or "Initial program load" or ILP) and L24	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L26	1	"7024547".pn.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L27	7	L25 and ("random access memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L28	1	L21 same (stor\$4 near4 ("Random access memory" or RAM))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L29	5	("random access memory" or RAM) same stor\$4 same (unique adj device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L30	5	(unique adj device adj identifier) same ("Random Access Memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L31	8	(configur\$5 or discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L32	0	(configur\$5 or discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions same boot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L33	0	(discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions same boot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L34	59015	(discover\$3 or intial \$5) with boot or startup	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L35	521	L34 same (stor\$4 or memory) same regions	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L36	1	L35 same (index or indices) same table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L37	11	(configur\$5 or discover\$3 or intial \$5) same (index or indices) with table same (storage or memory) same regions same (boot or reboot or startup or power)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L38	0	(discover\$3 or intial \$5) same (boot or reboot) same (memory adj region) same device adj address	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L39	5	(discover\$3 or intial \$5) same (boot or reboot) same (memory adj region)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L40	3	(discover\$3 or intial \$5) same (boot or reboot) near8 memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L41	823	(Stor\$4 or memory) with (area or region) with table with (index or indice)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L42	27	L41 same (boot or reboot or startup or power\$2)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L43	103	stor\$4 same configur \$5 adj (data or information) same (table) near4 (area or region)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L44	2001030	L43 same device adj discover\$3 or initial \$5	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L45	1	L43 same (device adj (discover\$3 or initial \$5))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L46	8	L43 same (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L47	0	(index or indice) same (configuration adj data) same memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L48	580	(index or indice) same (configuration adj data)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L49	13	L48 and memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L50	9731	L41 and boot or reboot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L51	9731	L50 and (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L52	7	L49 and (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L53	11	Table with index with offset with configur\$5 with data	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L54	14110	709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L55	59	L54 and (stor\$4 adj2 (Unique adj identif \$4))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L56	17	L55 and (discover\$3 or resdiscover\$3)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L57	16	L56 and (configur\$7 or reconfigur\$7)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L58	14	L57 and table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L59	407511	(stor\$4 or obtain\$3 or retriev\$3) near10 table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L60	7288	(Bootstrap or boot or "Initial program load" or ILP) same device same (reconfigur\$7 or configur\$7 or pr \$1discovery or rediscovery)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L61	1	L60 same (stor\$4 near10 (unique adj device adj identifier))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L62	22662	710/8-10,52-53,72. ccls. or 711/100,104. ccls. or 719/321.ccls. or 709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L63	0	L61 and L62	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L64	887	(discovery or rediscovery) same (device or peripheral) same identifier	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L65	128	L64 and L62	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L66	40	L65 and (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L67	33	L66 and (match or compar\$4)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L68	12	(Bootstrap or boot or "Initial program load" or ILP) and L67	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L69	1	"7024547".pn.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L70	5	("random access memory" or RAM) same stor\$4 same (unique adj device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L71	11	L57 and table	USPAT	OR	ON	2008/07/04 21:44
L72	52	L60 same (device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L73	0	L72 same (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L74	4	L72 same table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L75	7	L68 and ("random access memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L76	1	L64 same (stor\$4 near4 ("Random access memory" or RAM))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L77	5	(unique adj device adj identifier) same ("Random Access Memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L78	14	(Bavaria adj2 Priti).in. or (Broyles adj2 Stephan).in. or (Pinkenberger adj2 Glenn).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/04 21:44
L79	14110	709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L80	59	L79 and (stor\$4 adj2 (Unique adj identif \$4))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L81	17	L80 and (discover\$3 or rediscover\$3)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L82	16	L81 and (configur\$7 or reconfigur\$7)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L83	14	L82 and table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L84	407511	(stor\$4 or obtain\$3 or retriev\$3) near10 table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L85	7288	(Bootstrap or boot or "Initial program load" or ILP) same device same (reconfigur\$7 or configur\$7 or pr \$1discovery or rediscovery)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L86	1	L85 same (stor\$4 near10 (unique adj device adj identifier))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L87	22662	710/8-10,52-53,72. ccls. or 711/100,104. ccls. or 719/321.ccls. or 709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L88	0	L86 and L87	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L89	887	(discovery or rediscovery) same (device or peripheral) same identifier	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L90	128	L89 and L87	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L91	40	L90 and (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L92	33	L91 and (match or compar\$4)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L93	12	(Bootstrap or boot or "Initial program load" or ILP) and L92	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L94	1	"7024547".pn.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L95	5	("random access memory" or RAM) same stor\$4 same (unique adj device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L96	11	L82 and table	USPAT	OR	ON	2008/07/04 21:44
L97	52	L85 same (device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L98	0	L97 same (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L99	4	L97 same table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L100	7	L93 and ("random access memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L101	1	L89 same (stor\$4 near4 ("Ramdom access memory" or RAM))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L102	5	(unique adj device adj identifier) same ("Random Access Memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L103	14	(Bavaria adj2 Priti). in. or (Broyles adj2 Stephan).in. or (Rinkenberger adj2 Glenn).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/04 21:44
L104	823	(Stor\$4 or memory) with (area or region) with table with (index or indice)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L105	27	L104 same (boot or reboot or startup or power\$2)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L106	0	(discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions same boot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L107	407511	(stor\$4 or obtain\$3 or retriev\$3) near10 table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L108	14110	709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L109	59	L108 and (stor\$4 adj2 (Unique adj identif\$4))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L110	887	(discovery or rediscovery) same (device or peripheral) same identifier	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L111	17	L109 and (discover \$3 or resdiscover\$3)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L112	16	L111 and (configur\$7 or reconfigur\$7)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44



L113	14	L112 and table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L114	11	Table with index with offset with configur \$5 with data	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L115	103	stor\$4 same configur \$5 adj (data or information) same (table) near4 (area or region)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L116	1	L115 same (device adj (discover\$3 or initial\$5))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L117	0	(configur\$5 or discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions same boot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L118	8	L115 same (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L119	9731	L104 and boot or reboot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L120	0	(discover\$3 or intial \$5) same (boot or reboot) same (memory adj region) same device adj address	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L121	59015	(discover\$3 or intial \$5) with boot or startup	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L122	5	(discover\$3 or intial \$5) same (boot or reboot) same (memory adj region)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L123	521	L121 same (stor\$4 or memory) same regions	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L124	1	L123 same (index or indices) same table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L125	580	(index or indice) same (configuration adj data)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L126	13	L125 and memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L127	7	L126 and (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L128	8	(configur\$5 or discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L129	7288	(Bootstrap or boot or "Initial program load" or ILP) same device same (reconfigur\$7 or configur\$7 or pr \$1discovery or rediscovery)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L130	22662	710/8-10,52-53,72. ccls. or 711/100,104. ccls. or 719/321.ccls. or 709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L131	1	L129 same (stor\$4 near10 (unique adj device adj identifier))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L132	128	L110 and L130	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L133	40	L132 and (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L134	33	L133 and (match or compar\$4)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L135	0	L131 and L130	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L136	52	L129 same (device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L137	0	L136 same (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L138	5	("random access memory" or RAM) same stor\$4 same (unique adj device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L139	1	"7024547".pn.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L140	1	L110 same (stor\$4 near4 ("Ramdom access memory" or RAM))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L141	12	(Bootstrap or boot or "Initial program load" or ILP) and L134	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L142	11	L112 and table	USPAT	OR	ON	2008/07/04 21:44
L143	4	L136 same table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L144	2001030	L115 same device adj discover\$3 or initial\$5	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L145	5	(unique adj device adj identifier) same ("Random Access Memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L146	14	(Bavaria adj2 Priti).in. or (Broyles adj2 Stephan).in. or (Rinkenberger adj2 Glenn).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/04 21:44
L147	7	L141 and ("random access memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L148	11	(configur\$5 or discover\$3 or intial \$5) same (index or indices) with table same (storage or memory) same regions same (boot or reboot or startup or power)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L149	0	(index or indice) same (configuration adj data) same memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L150	9731	L119 and (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L151	3	(discover\$3 or intial \$5) same (boot or reboot) near8 memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L152	188604	device near4 (discovery or configuration)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L153	757	L152 same (plurality or many or multiple) near3 bus\$2	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L154	467	L153 same (identif\$5 or address)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L155	0	L154 same (volatile or non\$1volatile)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L156	0	L154 same (initial adj program adj load)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L157	1312	(initial adj program adj load)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L158	1	L157 and L154	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L159	581	L157 same memory	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L160	25	L159 same (multiple or many or plurality) same bus\$2	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L161	1	L160 same (identif\$5 or address) same device	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L162	390320	(volatile or "non-volatile")	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L163	61	L162 same L157	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L164	16	L163 same buses	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L165	871669	device same (initial \$5 or discovery or detect\$4)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L166	11934	L165 same (volatile)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L167	1293	L166 same buses	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L168	7	L167 same (IPL or (initial near2 program near2 load))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L169	0	(initial near2 program near2 load) same (mov\$3 near4 configuration)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L170	1	(initial near2 program near2 load) same (mov\$3 near4 memory)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L171	270	buses same (initial near2 program near2 load)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L172	5	L171 same (device near4 (address or identif\$5))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L173	1	10/631056	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L174	425	(initial\$5 same device) same ((multiple or plurality or many) near4 (bus or buses))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L175	0	L174 same (inital near2 program near2 load)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L176	1	"5854905".pn.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L177	14	(Bavaria adj2 Priti).in. or (Broyles adj2 Stephan).in. or (Rinkenberger adj2 Glenn).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/04 21:44
L178	407511	(stor\$4 or obtain\$3 or retriev\$3) near10 table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L179	14110	709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L180	59	L179 and (stor\$4 adj2 (Unique adj identif\$4))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L181	17	L180 and (discover \$3 or resdiscover\$3)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L182	16	L181 and (configur\$7 or reconfigur\$7)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L183	14	L182 and table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L184	11	L182 and table	USPAT	OR	ON	2008/07/04 21:44
L185	22662	710/8-10,52-53,72. ccls. or 711/100,104. ccls. or 719/321.ccls. or 709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L186	7288	(Bootstrap or boot or "Initial program load" or ILP) same device same (reconfigur\$7 or configur\$7 or pr \$1discovery or rediscovery)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L187	1	L186 same (stor\$4 near10 (unique adj device adj identifier))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L188	52	L186 same (device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L189	0	L188 same (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L190	4	L188 same table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L191	0	L187 and L185	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L192	887	(discovery or rediscovery) same (device or peripheral) same identifier	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L193	128	L192 and L185	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L194	40	L193 and (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L195	33	L194 and (match or compar\$4)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L196	12	(Bootstrap or boot or "Initial program load" or ILP) and L195	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L197	1	"7024547".pn.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L198	7	L196 and ("random access memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L199	1	L192 same (stor\$4 near4 ("Ramdom access memory" or RAM))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L200	5	("random access memory" or RAM) same stor\$4 same (unique adj device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L201	5	(unique adj device adj identifier) same ("Random Access Memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L202	8	(configur\$5 or discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L203	0	(configur\$5 or discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions same boot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L204	0	(discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions same boot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L205	59015	(discover\$3 or intial \$5) with boot or startup	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L206	521	L205 same (stor\$4 or memory) same regions	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L207	1	L206 same (index or indices) same table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L208	11	(configur\$5 or discover\$3 or intial \$5) same (index or indices) with table same (storage or memory) same regions same (boot or reboot or startup or power)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L209	0	(discover\$3 or intial \$5) same (boot or reboot) same (memory adj region) same device adj address	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L210	5	(discover\$3 or initial \$5) same (boot or reboot) same (memory adj region)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L211	3	(discover\$3 or initial \$5) same (boot or reboot) near 8 memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L212	823	(Storage\$4 or memory) with (area or region) with table with (index or indices)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L213	27	L212 same (boot or reboot or startup or power\$2)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L214	103	storage\$4 same configuration \$5 adj (data or information) same (table) near 4 (area or region)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L215	1	L214 same (device adj (discover\$3 or initial\$5))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L216	8	L214 same (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L217	0	(index or indices) same (configuration adj data) same memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L218	580	(index or indices) same (configuration adj data)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L219	13	L218 and memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L220	9731	L212 and boot or reboot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L221	9731	L220 and (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L222	7	L219 and (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L223	11	Table with index with offset with configuration \$5 with data	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L224	14110	709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L225	59	L224 and (storage\$4 adj 2 (Unique adj identifier\$4))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44



L226	17	L225 and (discover\$3 or rediscover\$3)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L227	16	L226 and (configur\$7 or reconfigur\$7)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L228	14	L227 and table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L229	407511	(stor\$4 or obtain\$3 or retriev\$3) near10 table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L230	7288	(Bootstrap or boot or "Initial program load" or ILP) same device same (reconfigur\$7 or configur\$7 or pr\$1discovery or rediscovery)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L231	1	L230 same (stor\$4 near10 (unique adj device adj identifier))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L232	22662	710/8-10,52-53,72. ccls. or 711/100,104. ccls. or 719/321.ccls. or 709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L233	0	L231 and L232	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L234	887	(discovery or rediscovery) same (device or peripheral) same identifier	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L235	128	L234 and L232	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L236	40	L235 and (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L237	33	L236 and (match or compar\$4)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L238	12	(Bootstrap or boot or "Initial program load" or ILP) and L237	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L239	1	"7024547".pn.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L240	5	("random access memory" or RAM) same stor\$4 same (unique adj device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L241	11	L227 and table	USPAT	OR	ON	2008/07/04 21:44
L242	52	L230 same (device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L243	0	L242 same (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L244	4	L242 same table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L245	7	L238 and ("random access memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L246	1	L234 same (stor\$4 near4 ("Ramdom access memory" or RAM))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L247	5	(unique adj device adj identifier) same ("Random Access Memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L248	14	(Bavaria adj2 Priti). in. or (Broyles adj2 Stephan).in. or (Finkenberger adj2 Glenn).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/04 21:44
L249	14110	709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L250	59	L249 and (stor\$4 adj2 (Unique adj identif\$4))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L251	17	L250 and (discover \$3 or rediscover\$3)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L252	16	L251 and (configur\$7 or reconfigur\$7)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L253	14	L252 and table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L254	407511	(stor\$4 or obtain\$3 or retriev\$3) near10 table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L255	7288	(Bootstrap or boot or "Initial program load" or ILP) same device same (reconfigur\$7 or configur\$7 or pr \$1discovery or rediscovery)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L256	1	L255 same (stor\$4 near10 (unique adj device adj identifier))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L257	22662	710/8-10,52-53,72. ccls. or 711/100,104. ccls. or 719/321.ccls. or 709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L258	0	L256 and L257	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L259	887	(discovery or rediscovery) same (device or peripheral) same identifier	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L260	128	L259 and L257	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L261	40	L260 and (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L262	33	L261 and (match or compar\$4)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L263	12	(Bootstrap or boot or "Initial program load" or ILP) and L262	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L264	1	"7024547".pn.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L265	5	("random access memory" or RAM) same stor\$4 same (unique adj device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L266	11	L252 and table	USPAT	OR	ON	2008/07/04 21:44
L267	52	L255 same (device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L268	0	L267 same (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L269	4	L267 same table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L270	7	L263 and ("random access memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L271	1	L259 same (stor\$4 near4 ("Random access memory" or RAM))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44

L272	5	(unique adj device adj identifier) same ("Random Access Memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L273	14	(Bavaria adj2 Priti). in. or (Broyles adj2 Stephan).in. or (Rinkenberger adj2 Glenn).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/04 21:44
L274	823	(Stor\$4 or memory) with (area or region) with table with (index or indice)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L275	27	L274 same (boot or reboot or startup or power\$2)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L276	0	(discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions same boot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L277	407511	(stor\$4 or obtain\$3 or retriev\$3) near10 table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L278	14110	709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L279	59	L278 and (stor\$4 adj2 (Unique adj identif\$4))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L280	887	(discovery or rediscovery) same (device or peripheral) same identifier	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L281	17	L279 and (discover \$3 or resdiscover\$3)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:44
L282	16	L281 and (configur\$7 or reconfigur\$7)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L283	14	L282 and table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L284	11	Table with index with offset with configur \$5 with data	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45

L285	103	stor\$4 same configur \$5 adj (data or information) same (table) near4 (area or region)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L286	1	L285 same (device adj (discover\$3 or initial\$5))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L287	0	(configur\$5 or discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions same boot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L288	8	L285 same (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L289	9731	L274 and boot or reboot	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L290	0	(discover\$3 or intial \$5) same (boot or reboot) same (memory adj region) same device adj address	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L291	59015	(discover\$3 or intial \$5) with boot or startup	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L292	5	(discover\$3 or intial \$5) same (boot or reboot) same (memory adj region)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L293	521	L291 same (stor\$4 or memory) same regions	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L294	1	L293 same (index or indices) same table	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L295	580	(index or indice) same (configuration adj data)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L296	13	L295 and memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L297	7	L296 and (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45

L298	8	(configur\$5 or discover\$3 or intial \$5) with (index or indices) with table with (storage or memory) same regions	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L299	7288	(Bootstrap or boot or "Initial program load" or ILP) same device same (reconfigur\$7 or configur\$7 or pr \$1discovery or rediscovery)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L300	22662	710/8-10,52-53,72. ccls. or 711/100,104. ccls. or 719/321.ccls. or 709/201,220-223. ccls.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L301	1	L299 same (stor\$4 near10 (unique adj device adj identifier))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L302	128	L280 and L300	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L303	40	L302 and (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L304	33	L303 and (match or compar\$4)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L305	0	L301 and L300	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L306	52	L299 same (device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L307	0	L306 same (stor\$4 near10 table)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L308	5	("random access memory" or RAM) same stor\$4 same (unique adj device adj identifier)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L309	1	"7024547".pn.	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L310	1	L280 same (stor\$4 near4 ("Ramdom access memory" or RAM))	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45

L311	12	(Bootstrap or boot or "Initial program load" or ILP) and L304	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L312	11	L282 and table	USPAT	OR	ON	2008/07/04 21:45
L314	5	(unique adj device adj identifier) same ("Random Access Memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L315	14	(Bavaria adj2 Priti).in. or (Broyles adj2 Stephan).in. or (Pinkenberger adj2 Glenn).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/04 21:45
L316	7	L311 and ("random access memory" or RAM)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L317	11	(configur\$5 or discover\$3 or intial \$5) same (index or indices) with table same (storage or memory) same regions same (boot or reboot or startup or power)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L318	0	(index or indice) same (configuration adj data) same memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L319	9731	L289 and (boot or reboot)	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45
L320	3	(discover\$3 or intial \$5) same (boot or reboot) near8 memory adj region	US-PGPUB; USPAT	OR	ON	2008/07/04 21:45

7/ 4/ 2008 9:57:16 PM

C:\Documents and Settings\mibrahim1\My Documents\EAST\Workspaces\10631056-Device configuration rediscovery during the bootup.wsp